



*HAGAN*

PURE SKI  
MOUNTAINEERING

SEASON  
2024 / 25 EN



# MODEL RANGE 2024/2025

## TOUR FREERIDE BOOST



	<b>BOOST 99 X POW</b>	<b>BOOST 94 X POW</b>	<b>BOOST JR X POW</b>
<b>Construction</b>	Semi Sidewall	Semi Sidewall	CAP JR
<b>Length (cm)</b>	168, 178*, 188	162, 170*, 176, 182	125, 135*, 145
<b>Sidecut (front-mid-rear)</b>	<b>168:</b> 130-99-115 <b>178:</b> 131-99-116 <b>188:</b> 132-99-117	<b>162:</b> 125-94-108 <b>170:</b> 126-94-109 <b>176:</b> 127-94-110 <b>182:</b> 128-94-110	<b>125:</b> 114-76-105 <b>135:</b> 114-76-105 <b>145:</b> 115-76-106
<b>Radius (m)</b>	<b>168:</b> 19 <b>178:</b> 20 <b>188:</b> 22	<b>162:</b> 17,5 <b>170:</b> 18,5 <b>176:</b> 19,5 <b>182:</b> 20,5	<b>125:</b> 8,5 <b>135:</b> 10,3 <b>145:</b> 11,8
<b>Weight <sup>1</sup>(g)</b>	1.650 (at 178 cm)	1.600 (at 170 cm)	950 (at 135 cm)
<b>Rocker Tip (mm)</b>	410	350	220
<b>Rocker Tail (mm)</b>	250	150	120
<b>Character % (Uphill:Downhill)</b>	15:85	25:75	40:60
<b>Core</b>	Poplar / Carbon	Poplar / Carbon	Wood Composite Core
<b>Item Nr.</b>	BO99/22/LENGTH	BO94/22/LENGTH	BOJR/22/LENGTH

\*All data refer to the sample length. Design modifications reserved.

<sup>1</sup> Weight may differ +/- 70 g

## TOUR ALLMOUNTAIN CORE CARBON



	<b>CORE CARBON 92</b>	<b>CORE CARBON 89</b>	<b>CORE CARBON 89 LITE</b>	<b>CORE CARBON 84</b>	<b>CORE CARBON 84 LITE</b>
<b>Construction</b>	Semi Sidewall	Semi Sidewall	Semi Sidewall	Semi Sidewall	Semi Sidewall
<b>Length (cm)</b>	162, 170*, 176	154, 162, 170*, 178	154, 162, 170*, 178	156, 164, 172*	148, 156, 164, 172*
<b>Sidecut (front-mid-rear)</b>	<b>162:</b> 125-92-108 <b>170:</b> 126-92-109 <b>176:</b> 127-92-110	<b>154:</b> 123-89-106 <b>162:</b> 124-89-107 <b>170:</b> 125-89-108 <b>178:</b> 127-89-109	<b>154:</b> 123-89-106 <b>162:</b> 124-89-107 <b>170:</b> 125-89-108 <b>178:</b> 127-89-109	<b>156:</b> 120-84-106 <b>164:</b> 122-84-107 <b>172:</b> 123-84-108	<b>148:</b> 119-84-105 <b>156:</b> 120-84-106 <b>164:</b> 122-84-107 <b>172:</b> 123-84-108
<b>Radius (m)</b>	<b>162:</b> 17,5 <b>170:</b> 18,5 <b>176:</b> 19,5	<b>154:</b> 15 <b>162:</b> 16 <b>170:</b> 18 <b>178:</b> 20	<b>154:</b> 15 <b>162:</b> 16 <b>170:</b> 18 <b>178:</b> 20	<b>156:</b> 15 <b>164:</b> 16,5 <b>172:</b> 17,5	<b>148:</b> 14 <b>156:</b> 15 <b>164:</b> 16,5 <b>172:</b> 17,5
<b>Weight <sup>1</sup>(g)</b>	1.375 (at 170 cm)	1.300 (at 170 cm)	1.160 (at 170 cm)	1.250 (at 172 cm)	1.120 (at 172 cm)
<b>Rocker Tip (mm)</b>	340	320	330	330	330
<b>Rocker Tail (mm)</b>	140	120	110	110	110
<b>Character % (Uphill:Downhill)</b>	30:70	35:65	35:65	50:50	50:50
<b>Core</b>	Karuba / Carbon	Poplar / Carbon	Karuba / Poplar	Poplar / Carbon	Karuba / Poplar
<b>Item Nr.</b>	CO92/23/LENGTH	CO89/23/LENGTH	COL89/23/LENGTH	CO84/23/LENGTH	COL84/23/LENGTH

\*All data refer to the sample length. Design modifications reserved.

<sup>1</sup> Weight may differ +/- 70 g

# MODEL RANGE 2024/2025

## TOUR PROFESSIONAL ULTRA



	ULTRA 89	ULTRA 84	ULTRA 79	ULTRA 65
<b>Construction</b>	Semi Sidewall	Semi Sidewall	Semi Sidewall	Micro Sidewall
<b>Length (cm)</b>	154, 162, 170*, 178	148, 156, 164, 172*	148, 156, 164, 172*	151, 161*
<b>Sidecut (front-mid-rear)</b>	154: 123-89-106 162: 124-89-107 170: 125-89-108 178: 127-89-109	148: 119-84-105 156: 120-84-106 164: 122-84-107 172: 123-84-108	148: 109-79-95 156: 110-79-96 164: 111-79-97 172: 112-79-98	151: 95-65-78 161: 97-65-80
<b>Radius (m)</b>	154: 15 162: 16 170: 18 178: 20	148: 14 156: 15 164: 16,5 172: 17,5	148: 16 156: 17,5 164: 19 172: 21	151: 21 161: 23
<b>Weight <sup>1</sup>(g)</b>	1.130 (at 170 cm)	1.090 (at 172 cm)	970 (at 172 cm)	700 (at 161 cm)
<b>Rocker Tip (mm)</b>	300	330	330	200
<b>Rocker Tail (mm)</b>	110	110	100	0
<b>Character % (Uphill:Downhill)</b>	40:60	70:30	75:25	90:10
<b>Core</b>	Karuba / Carbon	Karuba / Carbon	Karuba / Carbon	Karuba
<b>Item Nr.</b>	UL89/23/LENGTH	ULI84/23/LENGTH	UL79/23/LENGTH	UL65/23/LENGTH

\*All data refer to the sample length. Design modifications reserved.

<sup>1</sup> Weight may differ +/- 70 g

## TOUR CLASSIC PURE



	PURE 90	PURE 85	PURE 75
<b>Construction</b>	Semi Sidewall	Semi Sidewall	Semi Sidewall
<b>Length (cm)</b>	154, 163, 170*, 178	148, 156, 164*, 172	140, 147, 155*, 163, 170
<b>Sidecut (front-mid-rear)</b>	154: 123/90/106 163: 124/90/107 170: 125/90/108 178: 127/90/109	148: 119/85/105 156: 120/85/106 164: 122/85/107 172: 123/85/108	140: 112/75/100 147: 112/75/100 155: 112/75/100 163: 112/75/100 170: 112/75/100
<b>Radius (m)</b>	154: 15 163: 16 170: 18,5 178: 20	148: 14,5 156: 15 164: 16,5 172: 17,5	140: 10 147: 12 155: 14 163: 16 170: 18
<b>Weight <sup>1</sup>(g)</b>	1.350 (at 170 cm)	1.260 (at 164 cm)	1.200 (at 155 cm)
<b>Rocker Tip (mm)</b>	280 (154/163) 330 (170/178)	280 (148/156) 330 (164/172)	250
<b>Rocker Tail (mm)</b>	110	110	50
<b>Character %</b>	40:60	50:50	50:50
<b>Core</b>	Karuba / Poplar	Karuba / Poplar	Poplar
<b>Item Nr.</b>	PU90/22/LENGTH	PU85/22/LENGTH	PU75/22/LENGTH

\*only limited quantities

## TOUR SPECIAL



	OFFLIMITS	OFFTRACE
<b>Construction</b>	Cap Wood	Cap Wood
<b>Length (cm)</b>	130	170*, 180, 190, 200
<b>Sidecut (front-mid-rear)</b>	130: 130-90-110	170: 68-60-65 180: 68-60-65 190: 68-60-65 200: 68-60-65
<b>Radius (m)</b>	130: 9,5	
<b>Weight <sup>1</sup>(g)</b>	1.250 (at 130 cm)	1.000 (at 180 cm)
<b>Rocker Tip (mm)</b>	180	150
<b>Rocker Tail (mm)</b>	0	0
<b>Character %</b>	50:50	90:10
<b>Core</b>	Poplar	Poplar
<b>Item Nr.</b>	OL/23/130	OTR/23/LENGTH

MODEL RANGE

MODEL RANGE

# BINDINGS & ACCESSORIES




## PIN UP 10 EVO

Weight (g)	295
Material	aluminum alloy, POM, stainless steel
Walking modes	flat, +34, +50mm
Release Value	DIN 5 - 12
Adjustment Length	20 mm
Brake Widths	86, 91, 97, 102, 108, 120 mm
Item Number	PINUP10.WIDTH




## PIN UP 8 EVO

Weight (g)	295
Material	aluminum alloy, POM, stainless steel
Walking modes	flat, +34, +50mm
Release Value	DIN 3 - 8
Adjustment Length	20 mm
Brake Widths	75, 86, 91, 97, 102
Item Number	PINUP8.WIDTH



## ULTRA WORLDCUP

Weight (g)	110
Material	aluminum alloy and titanium
Release Value	fixed race setting
Item Number	SL2020H



## ULTRA WORLDCUP BRAKE

Weight (g)	135
Material	aluminum alloy, titanium
Release Value	fixed race setting
Brake Widths	70 mm
Item Number	SL2024HB



## PURE 8

Weight (g)	280
Material	aluminum alloy, POM, stainless steel
Walking modes	flat, +26,5, +40mm
Release Value	DIN 3 - 8
Adjustment Length	20 mm
Brake Widths	86, 91, 97 mm
Item Number	PURE8G.WIDTH



## PURE 10

Weight (g)	280
Material	aluminum alloy, POM, stainless steel
Walking modes	flat, +26,5, +40mm
Release Value	DIN 5 - 10
Adjustment Length	20 mm
Brake Widths	86, 91, 97, 102, 108 mm
Item Number	PURE10B.WIDTH




## CORE 12 EVO

Weight (g)	350
Material	aluminum alloy, POM, stainless steel
Walking modes	flat, +27,5, +30, +44, +49mm
Release Value	DIN 5-12
Adjustment Length	25mm
Brake Widths	86, 91, 97, 102, 108, 120 mm
Item Number	CORE12E.WIDTH



## GROM 5

Weight (g)	290
Material	aluminum alloy, POM, stainless steel
Walking modes	flat, +50mm
Release Value	DIN 1,5-5
Adjustment Length	50mm
Brake Widths	75, 86, 91, 97 mm
Item Number	GROM5.WIDTH



## PURE 10 RENTAL AP

Weight (g)	400
Material	aluminum alloy, POM, stainless steel
Walking modes	flat, +36, +51mm
Release Value	DIN 5 - 10
Brake Widths	86, 91, 97, 102, 108 mm
Item Number	PURE10RAP.WIDTH



## CRAMPONS

Widths (mm)	70, 86, 91, 97, 102, 108, 120
Material	titanal, aluminum
Item Number	RA+Width+H



# BOOTS



## CORE PRO CARBON

Weight (g)	1.200 (26.5)
Liner	completely thermo-formable
Shell	can be selectively expanded
Sizes	MP 23.0 - 30.5
Flex	110
Colors	black / white
Item Number	5COPC/22/SIZE



## PURE

Weight (g)	1.250 (26.5)
Liner	thermo-formable at the fibula, shin, ankle & instep
Shell	can be selectively expanded
Sizes	MP 26,0 - 30,5
Flex	90
Colors	anthracite / black/ blue
Item Number	5PUA/22/SIZE



## CORE LITE

Weight (g)	1.150 (24.5)
Liner	thermo-formable at the fibula, shin, ankle & instep
Shell	can be selectively expanded
Sizes	MP 23.0 - 27.5
Flex	90
Colors	black / aubergine
Item Number	5COA/22/SIZE



## PURE JR

Weight (g)	1.150 (24.5)
Liner	thermo-formable at the fibula, shin, ankle & instep
Shell	can be selectively expanded
Sizes	MP 22.5 - 26.5
JR Flex	70
Colors	anthracite / black / orange
Item Number	5PUJ/21/SIZE

# SKINS



## BOOST SMARTGLUE SKIN

Material	65 % Mohair 35% Nylon
Item Number	see price list



## HAGAN SMARTGLUE SKIN

Material	65 % Mohair 35 % Nylon
Item Number	see price list



## HAGAN HYBRID SKIN

Material	100 % Mohair
Item Number	see price list



# POLES



POLES



## TOUR

Size (cm)	85 -140
Weight (g)	210 / Pole
Material	Titanal
Item Number	PTOUR/23



## ULTRA

Size (cm)	110, 115, 120, 125*, 130, 135, 140, 145
Weight (g)	125 / Pole
Material	Carbon Superlight
Item Number	PUL/19/SIZE

# MERCHANDISE



UNIVERSAL WAX



EXPRESS WAX



MULTI TEMP WAX COMBO



T-SHIRT ORGANIC BLUE



T-SHIRT ORGANIC GREY



HOODIE ORGANIC GREY



RACING SUIT M / W



BEANIE



NECK SCARF



HAGAN SKISTRAP



ENAMEL MUG



LUNCHBOX

MERCHANDISE

## CONTACT

**HAGAN SKI GES.M.B.H.**  
ANDIESEN 11  
4774 ST. MARIENKIRCHEN  
AUSTRIA  
TEL +43 (0) 771 133 133  
INFO@HAGAN-SKI.COM  
YOUTUBE.COM/HAGANSKI  
FACEBOOK.COM/HAGANSKI.AT  
INSTAGRAM/HAGAN\_SKI

## IMPRINT

IMAGE PHOTOGRAPHY: TOMAŽ  
DRUML || PRODUCT  
PHOTOGRAPHY: MICHAEL  
PRESCHL PHOTOGRAPHY || ART  
DIRECTION: PLAPPERMAUL OG ||  
ALL RIGHTS RESERVED, DESIGN  
MODIFICATIONS AND MINOR  
COLOR DEVIATIONS, ERRORS  
AND MISPRINTS EXCEPTED.

FIND OUT MORE ABOUT HAGAN:

